

January 14, 2014

Mr. Dwight Leisle Port of Portland 7200 NE Airport Way Portland, Oregon 97218

Re: Bench-Scale Sieve Test Results – OU2

Swan Island Upland Facility

Portland, Oregon ECSI No. 271 1115-16

Dear Mr. Leisle:

This letter presents the results of bench-scale mechanical sieve testing completed in support of the Remedial Design (RD) for Operable Unit 2 (the Facility or OU2) at the Swan Island Upland Facility (SIUF) in Portland, Oregon (Figures 1 and 2).

### **OBJECTIVES**

The Feasibility Study (FS) noted that the soil to be excavated consists primarily of sand and gravel, and that mechanical screening may be a feasible technology to reduce the volume of soil removed to an off-site landfill. The goal of the bench-scale testing is to verify the feasibility of mechanical screening to reduce the disposal volume. The specific objectives of the bench-scale sieve test are to assess the following:

- Cost feasibility of mechanical separation of gravel from finer-grained soil;
- Technical feasibility of mechanical separation of gravel from finer-grained soil;
- Arsenic concentrations in the processed materials; and
- Waste designation for the material to be disposed of.

#### FIELD SAMPLING

The sample collection and field sieving were conducted on November 23, 2013. The sampling was completed during a dry period that included 10 days of no recorded accumulation at the nearest rain gauge. The dry period was targeted to best replicate the expected construction work weather.

Figure 3 shows the proposed excavation area divided into 5 approximately equal areas, designated areas "a" through "e". Two sub-samples were collected at the approximate center of each area. At each location, one sub-sample was collected from the depth range of 0 to 6 inches and one sub-sample was collected from the depth range of 6 to 12 inches. The samples were collected and processed using the following protocols.

 A consistent sample volume of soil was collected for each sub-sample (approximately 1 gallon or 15 pounds). As the soil was placed into the measuring container, the layers were tamped to achieve similar density for each sub-sample collected.

- The material collected at the sub-sample locations was collected to the full depth of the sample interval. Vertical side walls were maintained, as practicable.
- Once a full sub-sample volume was collected, the material was placed in a stainless steel bowl and homogenized.
- An 8-ounce sample was collected for arsenic analysis at each of the five sample locations at both depth ranges.
- After collecting the "a" through "e" sub-samples, the 0-6-inch and 6-12-inch sub-samples were each processed as follows.
  - o The "a" through "e" sub-samples were combined and thoroughly homogenized.
  - An 8-ounce sample was collected for arsenic analysis using the following labeling protocol: "CompSieveTest.#-#" where "#-#" is the depth range in inches (either 0-6 or 6-12). These samples provide an arsenic concentration for the composite sample at both depth ranges.
  - The remainder of the homogenized sample was passed through a cleaned No. 4 (4.25 mm openings) rocker sieve to separate gravel from finer-grained soil (to simulate construction screening). The material was sieved until no further substantive material passed through the screen based on a visual assessment.
  - o The material passing the No. 4 screen and retained on the screen were each weighed.
  - o From the material passing the No. 4 sieve, a 32-oz. sample (four 8-oz jars) was collected using the following labeling protocol: "Minus4CompSieveTest.#-#" where "#-#" is the depth range in inches (either 0-6 or 6-12).
  - o From the material retained on the No. 4 sieve, a 32-oz. sample (four, 8-oz jars) was collected using the following labeling protocol: "Plus4CompSieveTest.#-#" where "#-#" is the depth range in inches (either 0-6 or 6-12).
- The excess material was combined and returned to the site at sub-sample location "d". The remaining holes were graded/filled using on-site material.
- The following samples were submitted to the laboratory.
  - o Twelve 8-oz. samples (one jar for each sample) for arsenic analysis:
    - SieveTest.0-6a through SieveTest.0-6e;
    - SieveTest.6-12a through SieveTest.6-12e;
    - CompSieveTest.0-6; and
    - CompSieveTest.6-12.
  - o Four 32-oz. samples (four jars for each sample for a total of 16, 8-oz. jars) for sieve testing:
    - Minus4CompSieveTest.0-6;
    - Minus4CompSieveTest.6-12;
    - Plus4CompSieveTest.0-6; and
    - Plus4CompSieveTest.6-12.

### **LABORATORY TESTING**

**Mechanical Sieve Testing**. The laboratory conducted the following mechanical sieve testing using ASTM D6913.

- On each "Minus4CompSieveTest.#-#" (2 total), mechanical sieve analysis was conducted using the following sieve stack: No. 10, No. 40, No. 100, No. 200, and Pan.
- On each "Plus4CompSieveTest.#-#" (2 total), mechanical sieve analysis was conducted using the following sieve stack: ½-inch, No. 4, No. 10, No. 40, No. 100, No. 200, and Pan. The material from each of these tests that passed the No. 4 sieve was collected and labeled "Plus4PNo.4.#-#" where "#-#" is the depth range in inches (either 0-6 or 6-12).

Chemical Analysis. Laboratory chemical analyses consisted of the following.

- Total arsenic by EPA Method 6010:
  - SieveTest.0-6a through SieveTest.0-6e;
  - SieveTest.6-12a through SieveTest.6-12e;
  - CompSieveTest.0-6;
  - CompSieveTest.6-12;
  - Minus4CompSieveTest.0-6;
  - Minus4CompSieveTest.6-12;
  - Plus4CompSieveTest.0-6 (after mechanical grinding to reduce particle size);
  - Plus4CompSieveTest.6-12 (after mechanical grinding to reduce particle size);
  - Plus4PNo.4.0-6; and
  - Plus4PNo.4.6-12.
- Toxicity characteristic leaching procedure (TCLP) arsenic by EPA Method 1311/6010.
  - CompSieveTest.0-6;
  - CompSieveTest.6-12;
  - Minus4CompSieveTest.0-6; and
  - Minus4CompSieveTest.6-12.

#### **RESULTS**

Results of field sieving, laboratory sieving, and chemical analyses are listed in Tables 1 through 3, respectively. The analytical laboratory report is included as Attachment A. A data quality review was completed and there were no issues identified.

### **DATA EVALUATION**

**Cost Feasibility of Mechanical Separation of Gravel.** Table 1 shows that approximately 50 percent of the material to be excavated is gravel (greater in size than the No. 4 sieve opening of 4.25 mm). The following evaluation demonstrates that, pending evaluation of arsenic data, there is sufficient gravel present to justify separating the gravel fraction prior to disposal.

Neglecting issues related to arsenic concentrations, the cost effectiveness of sieving the excavated material prior to disposal depends on the quantity of gravel present. Separating the gravel fraction from the excavated soil has both increased costs and cost savings. The increased costs are independent of the amount of gravel (i.e., the costs depend on mobilization of equipment and the total volume of material processed). Potential cost savings (i.e., decreased amount of material disposed and decreased amount of fill required) are directly proportional to the quantity of gravel. From the feasibility study cost estimates, it can be shown that the estimated break-even point (the point at which the cost of sieving equals the savings) is 29 percent gravel. Because there is more gravel present than the break-even point, separation of gravel to reduce disposal volume is economically feasible.

**Technical Feasibility of Separation of Gravel**. Table 2 shows the results of laboratory mechanical sieving of the materials previously separated by field mechanical sieving. Based on these results, the following conclusions are drawn.

- The grain size distribution in the 6- to 12-inch depth range is slightly finer but similar to the 0- to 6-inch depth range.
- The coarse fraction material consists of approximately 97 percent gravel-sized particles.
- Of the fine-grained material that remained in the coarse fraction after field sieving, half of the material consists of coarse sand (material retained on the No. 10 sieve).

These results demonstrate that field mechanical sieving is effective in separating coarse material from fine-grained material. Approximately 97 percent of the material retained on the No. 4 sieve during field screening consisted of gravel, and nearly 99 percent consisted of gravel and coarse sand (greater than 2 mm particle size).

**Total Arsenic Concentrations in Processed Materials.** Table 3 presents the results of the total arsenic analyses. Based on these results, the following conclusions are drawn.

• Total arsenic results for individual samples are consistent with prior results. The following summary compares results from the recent sampling with prior sampling in the same areas.

		_	Arsenic Con (mg/l	
Sampling Event	Samples	Depth Range (inches)	Range	Average
Sieve Test	SieveTest.0- 6a thru e	0 to 6	9.5 to 478	170
Remedial Design	FS-8, FS-9, FS-16, FS- 24 thru 34	3 to 9	6.7 to 629	81
Sieve Test	SieveTest.6- 12a thru e	6 to 12	6.6 to 35	18
Remedial Design	FS-8, FS-9, FS-16, FS- 24 thru 34	15 to 21	2.2 to 6.2	4.1

 Total arsenic results for composite samples are consistent with individual sample results. The following summary compares the average concentration from individual samples to the composite concentration for the same depth range.

Samples	Arsenic Concentration (mg/kg)
SieveTest.0-6a thru e	170 (avg.)
CompSieveTest.0-6	230
SieveTest.6-12a thru e	18 (avg.)
CompSieveTest.6-12	10

• The total arsenic concentration in the silt/sand fraction from the field mechanical sieving is substantively the same as the concentration in the total composite sample (see summary below). Given the fundamental premise that chemical contamination is generally contained within the finer soil fraction, this result appears inconsistent. However, this is the expected result. In the laboratory, the chemist selects an aliquot of approximately 1 gram to complete the chemical analysis. Consequently, the sample actually analyzed will be biased toward the finer fraction of the overall sample because of the small aliquot mass, resulting in similar concentrations.

Samples	Arsenic Concentration (mg/kg)
CompSieveTest.0-6	230
Minus4CompSieveTest.0-6	210
CompSieveTest.6-12	10.4
Minus4CompSieveTest.6-12	17.5

- At corresponding depths, the total arsenic concentration in the fine-grained material that remained in the coarse fraction after field sieving (Plus4PNo.4.0-6 and Plus4PNo.4.6-12) is less than the arsenic concentration in the fine fraction after field sieving (Minus4CompSieveTest.0-6 and Minus4CompSieveTest.6-12). This result is explained if it is assumed that the arsenic is present primarily in the material passing the No. 10 sieve (i.e., present in the medium sand and finer fraction). The grain size data (Table 2) show that the relative proportion of material retained on the No. 10 sieve is greater for the fine-grained material that remained in the coarse fraction after field sieving, so it follows that the arsenic concentration would be lower.
- The total arsenic concentration in the coarse fraction after field sieving and laboratory grinding (7.1 mg/kg and less than 4.1 mg/kg for the 0- to 6-inch depth range and 6- to 12-inch depth range, respectively) is less than the default background concentration of 8.8 mg/kg.

**Waste Designation Consideration.** The material that will be disposed of will consist of either the entire excavation volume (if mechanical separation is not used) or the finer fraction material following mechanical sieving. Samples of each of these materials were analyzed for TCLP arsenic and results were below the method reporting limit of 0.05 mg/L (Table 3). Since this concentration is less than the characteristic hazardous waste limit for arsenic of 5 mg/L, the materials would classify as solid waste.

### **CONCLUSIONS SUMMARY**

Based on the results of the bench-scale sieve testing, the following are concluded.

 Mechanical separation is cost-effective because approximately 50 percent of the material consists of gravel and the break-even point is approximately 29 percent gravel.

- Mechanical separation is technically feasible because the material retained on the No. 4 sieve consisted of nearly 99 percent coarse sand and gravel.
- After mechanical separation, total arsenic concentrations in the coarse fraction material (targeted for re-use on-site) are less than the default background concentration of 8.8 mg/kg.
- Material targeted for off-site disposal would be designated as a solid waste.

Any questions about these results should be directed to the undersigned.

Sincerely,

15,147 PÉ

0250011

(M) F. (S)

Herb Clough, P.E.

EXPIRES: DEC. 31

Principal

Michael J. Pickering, R.G. Senior Associate Hydrogeologist

#### **ATTACHMENTS**

Table 1 - Surface Soil Field Grain Size Results

Table 2 - Surface Soil Laboratory Grain Size Results

Table 3 – Surface Soil Analytical Results - Arsenic and TCLP Arsenic

Figure 1 – Facility Location Map

Figure 2 - Facility Vicinity Map

Figure 3 - Sampling Plan

Attachment A - Analytical Laboratory Reports

Table 1 Surface Soil Field Grain Size Results Operable Unit 2, Daimler Leasehold, Swan Island Upland Facility Portland, Oregon

		Weight (lbs)							
Sample	Depth Interval	# 4 Sieve	Pan						
Name	(inches)	> 4.25mm	< 4.25 mm						
CompSieveTest.0-6	0 - 6	14.0	12.8						
% Total		52.2%	47.8%						
CompSieveTest.6-12	6 - 12	9.0	10.2						
% Total		46.9%	53.1%						

Table 2 Surface Soil Laboratory Grain Size Results Operable Unit 2, Daimler Leasehold, Swan Island Upland Facility Portland, Oregon

						Weight (grams)					1
Sample Name		1/2" Sieve	# <b>4 Sieve</b> > 4.25 mm	# <b>10 Sieve</b> > 2.00 mm	# <b>40 Sieve</b> > 475 µm	# <b>100 Sieve</b> > 150 µm	# <b>200 Sieve</b> > 75 µm	<b>Pan</b> < 75 μm	Initial Wt.	Post Sieve	Percent Recovery
Minus4CompSieveTest.0-6	Mass			388.04	723.41	326.69	80.68	31.41	1554.31	1550.23	99.7
	Percentage			25%	47%	21%	5%	2%			4
Plus4CompSieveTest.0-6 1.	Mass	634.57	650.70	16.34	3.23	4.58	4.06	4.48	1318.19	1317.96	100
	Percentage	48.1%	49.4%	1.2%	0.2%	0.3%	0.3%	0.3%			
Minus4CompSieveTest.6-12	Mass			360.63	566.43	273.14	117.18	47.48	1367.14	1364.14	99.8
	Percentage			26%	42%	20%	9%	3%			
Plus4CompSieveTest.6-12 2.	Mass	564.80	616.39	21.04	7.65	6.10	3.91	3.21	1223.98	1223.1	99.9
	Percentage	46.2%	50.4%	1.7%	0.6%	0.5%	0.3%	0.3%			

### Notes:


- Shaded mass combined (32.7 grams) and named Plus4PNo.4.0-6.
   Shaded mass combined (41.9 grams) and named Plus4PNo.4.6-12.


Table 3 Surface Soil Analytical Results - Arsenic and TCLP Arsenic Operable Unit 2, Daimler Leasehold, Swan Island Upland Facility Portland, Oregon


Sample Name	Depth Interval (inches)	Sample Date	Total Arsenic Concentration in mg/kg (ppm)	TCLP Arsenic Concentration in mg/L (ppm)
SieveTest.0-6a	0 - 6	11/23/2013	9.5	
SieveTest.6-12a	6 - 12	11/23/2013	6.6	
SieveTest.0-6b	0 - 6	11/23/2013	36.9	
SieveTest.6-12b	6 - 12	11/23/2013	20.7	
SieveTest.0-6c	0 - 6	11/23/2013	478	
SieveTest.6-12c	6 - 12	11/23/2013	35.1	
SieveTest.0-6d	0 - 6	11/23/2013	204	
SieveTest.6-12d	6 - 12	11/23/2013	16.1	
SieveTest.0-6e	0 - 6	11/23/2013	138	
SieveTest.6-12e	6 - 12	11/23/2013	9.1	
CompSieveTest.0-6	0 - 6	11/23/2013	230	< 0.05
CompSieveTest.6-12	6 - 12	11/23/2013	10.4	< 0.05
Minus4CompSieveTest.0-6	0 - 6	11/23/2013	210	< 0.05
Minus4CompSieveTest.6-12	6 - 12	11/23/2013	17.5	< 0.05
Plus4CompSieveTest.0-6	0 - 6	11/23/2013	7.1	
Plus4CompSieveTest.6-12	6 - 12	11/23/2013	<4.1	
Plus4PNo.4.0-6	0 - 6	11/23/2013	134	
Plus4PNo.4.6-12	6 - 12	11/23/2013	10.3	


#### Notes:

- 1. mg/kg (ppm) = Milligrams per kilogram (parts per million).
- 2. -- = Not analyzed.
- Total arsenic is analyzed by EPA Method 6010C.
   TCLP = Toxicity Characteristic Leaching Procedure by EPA Method 1311











December 18, 2013

Analytical Report for Service Request No: K1312907

Herb Clough Apex Companies, LLC 3015 SW First Avenue Portland, OR 97201

RE: SIUF OU2 Sieve Bench Test/1115-16

Dear Herb:

Enclosed are the results of the samples submitted to our laboratory on November 25, 2013. For your reference, these analyses have been assigned our service request number K1312907.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 3363. You may also contact me via Email at Lisa.Domenighini@alsglobal.com.

Respectfully submitted,

ALS Group USA Corp. dba ALS Environmental

Lisa Domenighini

Project Manager

Page 1 of \_\_\_\_46 LD/mj

### **Acronyms**

ASTM American Society for Testing and Materials

A2LA American Association for Laboratory Accreditation

CARB California Air Resources Board

CAS Number Chemical Abstract Service registry Number

CFC Chlorofluorocarbon
CFU Colony-Forming Unit

DEC Department of Environmental Conservation

DEQ Department of Environmental Quality

DHS Department of Health Services

DOE Department of Ecology
DOH Department of Health

EPA U. S. Environmental Protection Agency

ELAP Environmental Laboratory Accreditation Program

GC Gas Chromatography

GC/MS Gas Chromatography/Mass Spectrometry

LOD Limit of Detection
LOQ Limit of Quantitation

LUFT Leaking Underground Fuel Tank

M Modified

MCL Maximum Contaminant Level is the highest permissible concentration of a substance

allowed in drinking water as established by the USEPA.

MDL Method Detection Limit
MPN Most Probable Number
MRL Method Reporting Limit

NA Not Applicable
NC Not Calculated

NCASI National Council of the Paper Industry for Air and Stream Improvement

ND Not Detected

NIOSH National Institute for Occupational Safety and Health

PQL Practical Quantitation Limit

RCRA Resource Conservation and Recovery Act

SIM Selected Ion Monitoring

TPH Total Petroleum Hydrocarbons

tr Trace level is the concentration of an analyte that is less than the PQL but greater

than or equal to the MDL.

#### **Inorganic Data Qualifiers**

- \* The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- E The result is an estimate amount because the value exceeded the instrument calibration range.
- J The result is an estimated value.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
  DOD-QSM 4.2 definition: Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.
- H The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

#### **Metals Data Qualifiers**

- # The control limit criteria is not applicable. See case narrative.
- J The result is an estimated value.
- E The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
- M The duplicate injection precision was not met.
- N The Matrix Spike sample recovery is not within control limits. See case narrative.
- S The reported value was determined by the Method of Standard Additions (MSA).
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. DOD-QSM 4.2 definition: Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- W The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
- i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- + The correlation coefficient for the MSA is less than 0.995.
- Q See case narrative. One or more quality control criteria was outside the limits.

#### **Organic Data Qualifiers**

- \* The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- A A tentatively identified compound, a suspected aldol-condensation product.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- C The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
- D The reported result is from a dilution.
- E The result is an estimated value.
- J The result is an estimated value.
- N The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
- P The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
  DOD-QSM 4.2 definition: Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- i The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
- X See case narrative.
- $\boldsymbol{Q}$   $\;\;$  See case narrative. One or more quality control criteria was outside the limits.

#### **Additional Petroleum Hydrocarbon Specific Qualifiers**

- L The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
- H The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
- O The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
- Y The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
- Z The chromatographic fingerprint does not resemble a petroleum product.

# ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEC UST	http://dec.alaska.gov/applications/eh/ehllabreports/USTLabs.aspx	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2286
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L12-28
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Georgia DNR	http://www.gaepd.org/Documents/techguide_pcb.html#cel	881
Hawaii DOH	Not available	-
Idaho DHW	http://www.healthandwelfare.idaho.gov/Health/Labs/CertificationDrinkingWaterLabs/tabid/1833/Default.aspx	-
Indiana DOH	http://www.in.gov/isdh/24859.htm	C-WA-01
ISO 17025	http://www.pjlabs.com/	L12-27
Louisiana DEQ	http://www.deq.louisiana.gov/portal/DIVISIONS/PublicParticipationandPermitSupport/LouisianaLaboratoryAccreditationProgram.aspx	3016
Maine DHS	Not available	WA0035
Michigan DEQ	http://www.michigan.gov/deq/0,1607,7-135-3307_4131_4156,00.html	9949
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-368
Montana DPHHS	http://www.dphhs.mt.gov/publichealth/	CERT0047
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA35
New Jersey DEP	http://www.nj.gov/dep/oqa/	WA005
North Carolina DWQ	http://www.dwqlab.org/	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA200001
South Carolina DHEC	http://www.scdhec.gov/environment/envserv/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	704427-08-TX
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C1203
Wisconsin DNR	http://dnr.wi.gov/	998386840
Wyoming (EPA Region 8)	http://www.epa.gov/region8/water/dwhome/wyomingdi.html	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.caslab.com or at the accreditation bodies web site

Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

### ALS ENVIRONMENTAL

Client:Apex Companies, LLCService Request No.:K1312907Project:SIUF OU2 Sieve Bench Test/1115-16Date Received:11/25/13

Sample Matrix: Soil

#### **Case Narrative**

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples designated for Tier II data deliverables. When appropriate to the method, method blank results have been reported with each analytical test. Additional quality control analyses reported herein include: Laboratory Duplicate (DUP), and Laboratory/Duplicate Laboratory Control Sample (LCS/DLCS).

### Sample Receipt

Sixteen soil samples were received for analysis at ALS Environmental on 11/25/13. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

On December 12, 2013 Herb Clough with Apex Companies, LLC approved the compositing scheme for the post-sieved samples. These samples were assigned total arsenic testing.

### **Total Metals**

No anomalies associated with the analysis of these samples were observed.

### **TCLP Metals**

No anomalies associated with the analysis of these samples were observed.

Approved by January Line

### CHAIN OF CUSTOUT RECORD



Client Name: Apex Companies Address: 3015 SW First Ave Telephone Number: 503.924.4704

Fax No.: 503.943.6357

K1312907

City/State/Zip:	Portland, OR 97201				
Project Manager: Michael Pickering		Analytical Lab: ALS			
Project Name: SIUF OU2 Sieve Bench Test		Report To: Mich	ael Pick	ering	
Project Number: 1115-16		Page: 1	of	2	

								_ t	<sup>o</sup> res	erv	ative	,	$\top$		M	atrix				Analy	ze For:			7		
				T	Г			<del></del>	Tes	T	TT	<del>,</del>	+			T	П		T	Tanaiy.	26 1 01.	Т	$\neg r$	+	Т	Г
Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	eol	HNO <sub>3</sub> (Red Label)	NaOH ( Orange Label)	H <sub>2</sub> SO <sub>4</sub> Plastic (Yellow Label)	H <sub>2</sub> SO <sub>4</sub> Glass(Yellow Label)	None (Black Label)	Groundwater	Wastewater	Drinking Water	Soil	Other (specify):	Arsenic by EPA Method						RUSH TAT (Pre-Schedule)	Standard TAT	
SieveTest.0-6a	11/23/13	1100	1	Х			X					х	T			X		Х						T	X	ſ
	11/23/13	1120	1	Х			Х	$\top$				x				X		X						1	x	-
	11/23/13	1145	1	Х			X	1		T		X	1			X		X				11			X	-
	11/23/13	1205	1	Х			X	1				x	T			X		X				11		T	X	
SieveTest.0-6c	11/23/13	1220	1	Х			Х	T	T	T		x	1			X		Х							X	
	11/23/13	1250	1	Х			Х					X	T			X		Х							X	-
SieveTest.0-6d	11/23/13	1355	1	Х			Х			T		X	T			X		Х							X	Ì
SieveTest.6-12d	11/23/13	1415	1	Х			Х	T		T		X				X		Х							Х	
SieveTest.0-6e	11/23/13	1315	1	Х			Х	T				X				X		Х							Х	
SieveTest.6-12e	11/23/13	1335	1	Х			Х					Х				X		Х							Х	
Special Instructions:											<u></u>						-		Labo	ratory C	Comme	nts:				•
Bill to Apex Companies per ALS que																										
** See attached instructions for siev									d of			ent:	С	ouri					<b>-</b> i		Upon R	,				
Relinguished by Name/Company  Michael/Rickering	Dat 11/25/2		Til VOV	me S	Recei An	ved b	y: N	ame	:/Cor	mpa	iny AF	rex		generale	Dat		/0	Time ち	1 '		ainers Ir f Heads				N N	
Relinquished by: Name/Company	Dat	e	Ti	me	Recei	ved b	y: N	ame	/Cor	mpa	ıny				Dat	е		Time								
Radille La ADEX	11/25	5/13	10	40	Du	lild									25	13	10	W								
Relinquished by: Name/Company	Dat		Tii	me	Recei	ved t	y: N	ame	/Cor	mpa	ıny			Ť	Dat		-	Time	1							
					13	In	n.	111	,	1	Al	S		111	190	113	122	20								
Relinquished by Name/Company	Date	e	Ti	me	Recei	ved b	ν N	ame	/Cor	mpa	iny			1 1	Dat	e e	1	Time	1							

### **CHAIN OF CUSTODY RECORD**

V 131240+



11

16

12

Client Name: Apex Companies
Address: 3015 SW First Ave
City/State/Zip: Portland, OR 97201

Telephone Number: 503.924.4704 Fax No.: 503.943.6357

<b>Project Manager</b>	Michael Pickering	Analytical Lab:	ALS

Project Name: SIUF OU2 Sieve Bench Test Report To: Michael Pickering

Project Number: 1115-16 Page: 2 of 2

Sampler Name: Chris Clough/Chris Luk

Sampler Name:	Chris Cl	ough/C	hris	Luk	(																								
	T	т	·	·	, ,		L,		Pre	eser	vativ	ve				N	latri	X			_	Analy	/ze f	For:			1		
Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Ice	HNO <sub>3</sub> (Red Label)	HCI (Blue Label)	NaOH ( Orange Label)	H-SO <sub>4</sub> Glass(Yellow Label)	None (Black Label)		Groundwater	Wastewater	Drinking Water	Sludge	Soil Other (specify):	Ones (speedy).	Arsenic by EPA Method 6010	TCLP Arsenic						RUSH TAT (Pre-Schedule)	Standard TAT	Fax Results Send QC with report
CompSieveTest.0-6	11/23/13	1430	1	Х			Х		$\perp$		$\perp$	X				$\sqcup$		X.		X	X					$\perp$	$\perp$	X	
Minus4CompSieveTest.0-6	11/23/13	1445	4	Х			Х					Х						x		Х	Х							Х	
Plus4CompSieveTest.0-6	11/23/13	1445	4	Х			Х					X						x_		Χ**							L	Х	
CompSieveTest.6-12	11/23/13	1500	1	Х			Х					X						x		X	Х						L	Х	
Minus4CompSieveTest.6-12	11/23/13	1510	4	Х			Х					X						х		Х	X							Х	
Plus4CompSieveTest.6-12	11/23/13	1510	4	Х			Χ	_	1	_	_	X				_	-	X.	_	X **							1	Х	
Special Instructions:					LI		<b>L</b> 1	i_		L_				<u> </u>	1				Д	1	Labo	ratory	Con	nmen	ts:			ш	+
Bill to Apex Companies per ALS quarter See attached instructions for significant sections.			x =	Dete	rmine	feas		-		-		ipon nent		ew a			scu	ss w	rith A	Арех.		erature							-
Relinguished by Name/Gompany  Michael Pickering	Dat 11/25/2		Til Vol <sup>4</sup>	me S	Recei	ived to	٠,	é.É	e/C	omp	any	A	DY	t	//	Dar  } S	sl ()	}	10	ime 15		ole Cont s Free c				Y		N	
Relinquished by: Name/Company Rocull V Apex	Dat	e 5/13		me { v	Recei	ived b	by: N	lam:	e/C	omp	any		na.		//-	Dat So			10.	ime +じ									
Relinquished by: Name/Company	Dat	e	Tir	ne	Recei	wed to	y: N	lami	e/C	omp	any	S		į	ıki	Dat	te 13	1		ime									
Relinquished by: Name/Company	Dat	e	Tir	ne	Recei	ved b	by: N	lame	e/C	omp	any				4.	Dat	te		Т	me									

### **Sieving Data**

Service Request #:	K1312907		_							
Analyst:	PFKL									
Sample #	1/2" Sieve Wt. (g)	N I	# 10 Sieve > 2.00mm Wt. (g)	# 40 Sieve > 475um Wt. (g)	# 100 Sieve > 150um Wt. (g)	# 200 Sieve > 75um Wt. (g)	# 200 Sieve < 75um Wt. (g)		. Post Sieve Wt. (g)	Percent Recovery
K1312907-012			388.04	723.41	326.69	80.68	31.41	1554.31	1550.23	99.7
K1312907-013	634.57	650.70	16.34	3.23	4.58	4.06	4.48	1318.19	1317.96	100.0
K1312907-015			360.63	566.43	273.14	117.18	47.48	1367.14	1364.86	99.8
K1312907-016	564.80	616.39	21.04	7.65	6.10	3.91	3.21	1223.98	1223.10	99.9
Minus4CompSieveTest Plus4CompSieveTest 0					-	olan, combine PNo.4.0-6. <u>Pl</u>			_	•
Minus4CompSieveTest Plus4CompSieveTest6-					•	olan, combine PNo.4.6-12. <u>F</u>		-	_	•
			Instructio	ons (HFC, 1	2/12/2013)	<u>):</u>				
Balance ID: K-BALANC	CE-42									
Comments:										

Analyst:	PF/KL	Date:	12/10/2013
Reviewed By:		Date:	

Analytical Results

Service Request: K1312907

Client: Apex Companies, LLC

**Project:** SIUF OU2 Sieve Bench Test/1115-16

Sample Matrix: Soil

**Total Solids** 

**Prep Method:** Units: PERCENT NONE **Analysis Method:** 160.3M Basis: Wet

**Test Notes:** 

		Date	Date	Date		Result Notes
Sample Name	Lab Code	Collected	Received	Analyzed	Result	
SieveTest.0-6a	K1312907-001	11/23/2013	11/25/2013	12/04/2013	90.0	
SieveTest.6-12a	K1312907-002	11/23/2013	11/25/2013	12/04/2013	94.2	
SieveTest.0-6b	K1312907-003	11/23/2013	11/25/2013	12/04/2013	94.9	
SieveTest.6-12b	K1312907-004	11/23/2013	11/25/2013	12/04/2013	95.1	
SieveTest.0-6c	K1312907-005	11/23/2013	11/25/2013	12/04/2013	96.4	
SieveTest.6-12c	K1312907-006	11/23/2013	11/25/2013	12/04/2013	92.6	
SieveTest.0-6d	K1312907-007	11/23/2013	11/25/2013	12/04/2013	94.9	
SieveTest.6-12d	K1312907-008	11/23/2013	11/25/2013	12/04/2013	87.4	
SieveTest.0-6e	K1312907-009	11/23/2013	11/25/2013	12/04/2013	91.8	
SieveTest.6-12e	K1312907-010	11/23/2013	11/25/2013	12/04/2013	90.4	
CompSieveTest.0-6	K1312907-011	11/23/2013	11/25/2013	12/04/2013	95.0	
CompSieveTest.6-12	K1312907-014	11/23/2013	11/25/2013	12/04/2013	91.7	

Printed: 12/06/2013 10:30 Page 1 of 1  $u:\Stealth\Crystal.rpt\Solids.rpt$ SuperSet Reference: W1313415 11

QA/QC Report

Client: Apex Companies, LLC

**Project:** SIUF OU2 Sieve Bench Test/1115-16

Sample Matrix: Soil **Date Collected:** 11/23/2013 **Date Received:** 11/25/2013 **Date Analyzed:** 12/04/2013

Service Request: K1312907

**Duplicate Sample Summary** 

**Total Solids** 

**Prep Method:** NONE **Analysis Method:** 160.3M

Basis: Wet

Units: PERCENT

**Test Notes:** 

**Duplicate** Relative Sample Percent Sample **Result Notes** Difference Result Result Lab Code Sample Name Average

90.0 SieveTest.0-6a K1312907-001 90.1 90.1 <1

Printed: 12/06/2013 10:30 u:\Stealth\Crystal.rpt\Solids.rpt

SuperSet Reference: W1313415 12

Page

1 of 1

Analytical Results

Service Request: K1312907

Client: Apex Companies, LLC

**Project:** SIUF OU2 Sieve Bench Test/1115-16

Sample Matrix: Soil

**Total Solids** 

Prep Method:NONEUnits:PERCENTAnalysis Method:160.3MBasis:Wet

**Test Notes:** 

Date Date Date **Result Notes** Collected Received Analyzed Lab Code Result Sample Name Minus4CompSieveTest.0-6 K1312907-012 11/23/2013 11/25/2013 12/13/2013 93.9 90.9 Minus4CompSieveTest.6-12 K1312907-015 11/23/2013 11/25/2013 12/13/2013 Plus4PNo.4.0-6 K1312907-041 NA 12/12/2013 99.1 12/13/2013 Plus4PNo.4.6-12 K1312907-042 NA 12/12/2013 12/13/2013 98.2

 Printed:
 12/17/2013
 10:10
 Page
 1 of 1
 1

 u\Stealth\Crystal.rpt\Solids.rpt
 SuperSet Reference:
 W1313749

## - Cover Page - INORGANIC ANALYSIS DATA PACKAGE

Client:Apex Companies, LLCService Request:K1312907Project Name:SIUF OU2 Sieve Bench Test

**Project No.:** 1115-16

Sample Name :	Lab Code:
SieveTest.0-6a	K1312907-001
SieveTest.0-6a	K1312907-001D
SieveTest.0-6a	K1312907-001S
SieveTest.6-12a	K1312907-002
SieveTest.0-6b	K1312907-003
SieveTest.6-12b	K1312907-004
SieveTest.0-6c	K1312907-005
SieveTest.6-12c	K1312907-006
SieveTest.0-6d	K1312907-007
SieveTest.6-12d	K1312907-008
SieveTest.0-6e	K1312907-009
SieveTest.6-12e	K1312907-010
CompSieveTest.0-6	K1312907-011
Minus4CompSieveTest.0-6	K1312907-012
Minus4CompSieveTest.0-6	K1312907-012D
Minus4CompSieveTest.0-6	K1312907-012S
CompSieveTest.6-12	K1312907-014
Minus4CompSieveTest.6-12	K1312907-015
Plus4PNo.4.0-6	K1312907-041
Plus4PNo.4.0-6	K1312907-041D
Plus4PNo.4.0-6	K1312907-041S
Plus4PNo.4.6-12	K1312907-042
Method Blank	K1312907-MB1
Method Blank	K1312907-MB2
Method Blank	K1312907-MB3

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

**Total Metals** 

Sample Name: SieveTest.0-6a Units: mg/Kg (ppm)

**Lab Code:** K1312907-001 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	3.7	12/05/13	9.5	

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

Total Metals

Sample Name: SieveTest.6-12a Units: mg/Kg (ppm)

**Lab Code:** K1312907-002 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	3.7	12/05/13	6.6	

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

**Total Metals** 

Sample Name: SieveTest.0-6b Units: mg/Kg (ppm)

**Lab Code:** K1312907-003 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	3.7	12/05/13	36.9	

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

Total Metals

Sample Name: SieveTest.6-12b Units: mg/Kg (ppm)

**Lab Code:** K1312907-004 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	3.6	12/05/13	20.7	

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

**Total Metals** 

Sample Name: SieveTest.0-6c Units: mg/Kg (ppm)

**Lab Code:** K1312907-005 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	2.8	12/05/13	478	

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

Total Metals

Sample Name: SieveTest.6-12c Units: mg/Kg (ppm)

**Lab Code:** K1312907-006 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	3.8	12/05/13	35.1	

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

**Total Metals** 

Sample Name: SieveTest.0-6d Units: mg/Kg (ppm)

**Lab Code:** K1312907-007 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	3.6	12/05/13	204	

### **Analytical Report**

Client: Apex Companies, LLC
Project Name: SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

**Total Metals** 

Sample Name: SieveTest.6-12d Units: mg/Kg (ppm)

**Lab Code:** K1312907-008 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	4.1	12/05/13	16.1	

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

**Total Metals** 

Sample Name: SieveTest.0-6e Units: mg/Kg (ppm)

**Lab Code:** K1312907-009 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	3.7	12/05/13	138	

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

**Total Metals** 

Sample Name: SieveTest.6-12e Units: mg/Kg (ppm)

**Lab Code:** K1312907-010 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	3.5	12/05/13	9.1	

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

**Total Metals** 

Sample Name: CompSieveTest.0-6 Units: mg/Kg (ppm)

**Lab Code:** K1312907-011 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	3.4	12/05/13	230	

### **Analytical Report**

Client: Apex Companies, LLC
Project Name: SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/12/13

**Total Metals** 

**Sample Name :** Minus4CompSieveTest.0-6

**Lab Code :** K1312907-012

 $\begin{array}{ll} \textbf{Units:} & mg/Kg \ (ppm) \\ \textbf{Basis:} & Dry \end{array}$ 

Analyte	Analysis Method	MRL	Date Analyzed		
Arsenic	6010C	4.1	12/12/13	210	

### **Analytical Report**

Client: Apex Companies, LLC
Project Name: SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

Total Metals

Sample Name: CompSieveTest.6-12 Units: mg/Kg (ppm)

**Lab Code:** K1312907-014 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	3.8	12/05/13	10.4	

### **Analytical Report**

Client: Apex Companies, LLC
Project Name: SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/12/13

Total Metals

**Sample Name :** Minus4CompSieveTest.6-12

**Lab Code :** K1312907-015

 $\begin{array}{ll} \textbf{Units:} & mg/Kg \ (ppm) \\ \textbf{Basis:} & Dry \end{array}$ 

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	4.2	12/12/13	17.5	

### **Analytical Report**

Client: Apex Companies, LLC
Project Name: SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil Service Request: K1312907
Date Collected: NA
Date Received: 12/12/13
Date Extracted: 12/13/13

Total Metals

Sample Name: Plus4PNo.4.0-6 Units: mg/Kg (ppm)

**Lab Code:** K1312907-041 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	4.0	12/16/13	134	

### **Analytical Report**

Client: Apex Companies, LLC
Project Name: SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil Service Request: K1312907
Date Collected: NA
Date Received: 12/12/13
Date Extracted: 12/13/13

**Total Metals** 

Sample Name: Plus4PNo.4.6-12 Units: mg/Kg (ppm)

**Lab Code:** K1312907-042 **Basis:** Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	4.0	12/16/13	10.3	

### **Analytical Report**

Client: Apex Companies, LLC
Project Name: SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil Service Request: K1312907

Date Collected: NA

Date Received: NA

Date Extracted: 12/02/13

**Total Metals** 

Sample Name: Method Blank Units: mg/Kg (ppm)

Lab Code: K1312907-MB1 Basis: Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	4.0	12/05/13	ND	

### **Analytical Report**

Client: Apex Companies, LLC
Project Name: SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil Service Request: K1312907
Date Collected: NA
Date Received: NA
Date Extracted: 12/12/13

**Total Metals** 

Sample Name: Method Blank Units: mg/Kg (ppm)

Lab Code: K1312907-MB2 Basis: Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	4.0	12/12/13	ND	

### **Analytical Report**

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil Service Request: K1312907
Date Collected: NA
Date Received: NA
Date Extracted: 12/13/13

**Total Metals** 

Sample Name: Method Blank Units: mg/Kg (ppm)

Lab Code: K1312907-MB3 Basis: Dry

Analyte	Analysis Method	MRL	Date Analyzed	Sample Result	Result Notes
Arsenic	6010C	4.0	12/16/13	ND	

### QA/QC Report

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

 Date Analyzed :
 12/05/13

Duplicate Summary Total Metals

**Sample Name :** SieveTest.0-6a **Lab Code :** K1312907-001D

**Units:** mg/Kg (ppm)

Basis: Dry

Analyte	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Arsenic	6010C	3.7	9.5	10.7	10.1	12	

### QA/QC Report

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

**Project No.:** 1115-16 **Matrix:** Soil

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/02/13

 Date Analyzed :
 12/05/13

Matrix Spike Summary Total Metals

**Sample Name :** SieveTest.0-6a **Lab Code :** K1312907-001S

Units: mg/Kg (ppm)

Basis: Dry

						<b>CAS Percent</b>	
				Spiked		Recovery	
			Sample	Sample	Percent	Acceptance	Result
Analyte	MRL	Spike Level	Result	Result	Recovery	Limits	Notes
Arsenic	3.6	90.3	9.5	95.8	96	75-125	

### QA/QC Report

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/12/13

 Date Analyzed :
 12/12/13

Duplicate Summary Total Metals

**Sample Name :** Minus4CompSieveTest.0-6

**Lab Code :** K1312907-012D

Units: mg/Kg (ppm)

Basis: Dry

Analyte	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Arsenic	6010C	4.0	210	248	229	17	

### QA/QC Report

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil 

 Service Request :
 K1312907

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/12/13

 Date Analyzed :
 12/12/13

Matrix Spike Summary Total Metals

**Sample Name :** Minus4CompSieveTest.0-6

**Lab Code :** K1312907-012S

**Units:** mg/Kg (ppm)

Basis: Dry

						<b>CAS Percent</b>	
				Spiked		Recovery	
			Sample	Sample	Percent	Acceptance	Result
Analyte	MRL	Spike Level	Result	Result	Recovery	Limits	Notes
Arsenic	4.0	99.5	210	285	75	75-125	

### QA/QC Report

Client : Apex Companies, LLC
Project Name : SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil Service Request: K1312907

Date Collected: NA

Date Received: 12/12/13

Date Extracted: 12/13/13

Date Analyzed: 12/16/13

Duplicate Summary Total Metals

**Sample Name :** Plus4PNo.4.0-6 **Lab Code :** K1312907-041D **Units:** mg/Kg (ppm)

Basis: Dry

Analyte	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Arsenic	6010C	4.0	134	155	145	15	

### QA/QC Report

Client: Apex Companies, LLC

Project Name: SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil Service Request: K1312907
Date Collected: NA
Date Received: 12/12/13
Date Extracted: 12/13/13
Date Analyzed: 12/16/13

Matrix Spike Summary Total Metals

**Sample Name :** Plus4PNo.4.0-6 **Lab Code :** K1312907-041S **Units:** mg/Kg (ppm)

Basis: Dry

						<b>CAS Percent</b>	
				Spiked		Recovery	
			Sample	Sample	Percent	Acceptance	Result
Analyte	MRL	Spike Level	Result	Result	Recovery	Limits	Notes
Arsenic	4.0	99.9	134	226	92	75-125	

## - Cover Page - INORGANIC ANALYSIS DATA PACKAGE

Service Request: K1312907

Client: Apex Companies, LLC
Project Name: SIUF OU2 Sieve Bench Test

**Project No.:** 1115-16

Sample Name :	<u>Lab Code:</u>
CompSieveTest.0-6	K1312907-011
CompSieveTest.0-6	K1312907-011S
Minus4CompSieveTest.0-6	K1312907-012
CompSieveTest.6-12	K1312907-014
Minus4CompSieveTest.6-12	K1312907-015
Method Blank	K1312907-MB

Client: Apex Companies, LLC
Service Request: K1312907

Project Name :SIUF OU2 Sieve Bench TestDate Collected :11/23/13Project Number :1115-16Date Received :11/25/13

Matrix: Soil Date TCLP Performed: 12/05/13

**Date Extracted:** 12/06/13 **Date Analyzed:** 12/10/13

Toxicity Characteristic Leaching Procedure (TCLP)

EPA Method 1311

Metals

Units: mg/L (ppm) in TCLP Extract

**Sample Name:** CompSieveTest.0-6 **Lab Code:** K1312907-011

	EPA		Regulatory	Sample	Result
Analyte	Method	MRL	Limit *	Result	Notes
Arsenic	3010A/6010C	0.05	5	ND	

From 40 CFR Part 261, et al., and Federal Register, March 29, 1990 and June 29, 1990.

Client :Apex Companies, LLCService Request :K1312907Project Name :SIUF OU2 Sieve Bench TestDate Collected :11/23/13

Project Name: SIUF OU2 Sieve Bench Test Date Collected: 11/23/13

Project Number: 1115-16 Date Received: 11/25/13

Matrix: Soil Date TCLP Performed: 12/05/13

**Date Extracted:** 12/06/13 **Date Analyzed:** 12/10/13

Toxicity Characteristic Leaching Procedure (TCLP)
EPA Method 1311
Metals
Units: mg/L (ppm) in TCLP Extract

**Sample Name:** Minus4CompSieveTest.0-6

**Lab Code:** K1312907-012

Analyte	EPA Method	MRL	Regulatory Limit *	Sample Result	Result Notes
Arsenic	3010A/6010C	0.05	5	ND	

From 40 CFR Part 261, et al., and Federal Register, March 29, 1990 and June 29, 1990.

Client: Apex Companies, LLC
Service Request: K1312907

Project Name :SIUF OU2 Sieve Bench TestDate Collected :11/23/13Project Number :1115-16Date Received :11/25/13

Matrix :SoilDate TCLP Performed :12/05/13Date Extracted :12/06/13

**Date Extracted**: 12/00/13 **Date Analyzed**: 12/10/13

Toxicity Characteristic Leaching Procedure (TCLP)
EPA Method 1311
Metals
Units: mg/L (ppm) in TCLP Extract

**Sample Name:** CompSieveTest.6-12 **Lab Code:** K1312907-014

	EPA		Regulatory	Sample	Result
Analyte	Method	MRL	Limit *	Result	Notes
Arsenic	3010A/6010C	0.05	5	ND	

From 40 CFR Part 261, et al., and Federal Register, March 29, 1990 and June 29, 1990.

Client: Apex Companies, LLC
Service Request: K1312907

Project Name :SIUF OU2 Sieve Bench TestDate Collected :11/23/13Project Number :1115-16Date Received :11/25/13

Matrix :SoilDate TCLP Performed :12/05/13Date Extracted :12/06/13

**Date Extracted**: 12/00/13 **Date Analyzed**: 12/10/13

Toxicity Characteristic Leaching Procedure (TCLP)

EPA Method 1311

Metals

Units: mg/L (ppm) in TCLP Extract

**Sample Name:** Minus4CompSieveTest.6-12

**Lab Code:** K1312907-015

	EPA		Regulatory	Sample	Result
Analyte	Method	MRL	Limit *	Result	Notes
Arsenic	3010A/6010C	0.05	5	ND	

From 40 CFR Part 261, et al., and Federal Register, March 29, 1990 and June 29, 1990.

Client: Apex Companies, LLC Service Request: K1312907

Project Name :SIUF OU2 Sieve Bench TestDate Collected :NAProject Number :1115-16Date Received :NA

Matrix :SoilDate TCLP Performed :12/05/13Date Extracted :12/06/13

**Date Extracted**: 12/06/13 **Date Analyzed**: 12/10/13

Toxicity Characteristic Leaching Procedure (TCLP)

EPA Method 1311

Metals

Units: mg/L (ppm) in TCLP Extract

**Sample Name:** Method Blank **Lab Code:** K1312907-MB

	EPA		Regulatory	Sample	Result
Analyte	Method	MRL	Limit *	Result	Notes
Arsenic	3010A/6010C	0.05	5	ND	

From 40 CFR Part 261, et al., and Federal Register, March 29, 1990 and June 29, 1990.

### ALS Group USA, Corp. dba ALS Environmental QA/QC Report

Client: Apex Companies, LLC Service Request: K1312907

Project Name :SIUF OU2 Sieve Bench TestDate Collected :11/23/13Project Number :1115-16Date Received :11/25/13

Matrix: Soil Date TCLP Performed: 12/05/13

**Date Extracted:** 12/06/13 **Date Analyzed:** 12/10/13

Matrix Spike Summary
Toxicity Characteristic Leaching Procedure (TCLP)
EPA Method 1311
Metals
Units: mg/L (ppm) in TCLP Extract

**Sample Name:** CompSieveTest.0-6 **Lab Code:** K1312907-011S

Analyte	Spike	Sample	Spiked Sample	Percent	Result
	Level	Result	Result	Recovery*	Notes
Arsenic	5.00	ND	4.74	95	

From 40 CFR Part 261, et al., and Federal Register, March 29, 1990 and June 29, 1990.



December 31, 2013

Analytical Report for Service Request No: K1313872

Herb Clough Apex Companies, LLC 3015 SW First Avenue Portland, OR 97201

RE: SIUF OU2 Sieve Bench Test/1115-16

Dear Herb:

Enclosed are the results of the samples submitted to our laboratory on November 25, 2013. For your reference, these analyses have been assigned our service request number K1313872.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at <a href="www.alsglobal.com">www.alsglobal.com</a>. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 3363. You may also contact me via Email at Lisa.Domenighini@alsglobal.com.

Respectfully submitted,

ALS Group USA Corp. dba ALS Environmental

Lisa Domenighini Project Manager

LD/mj Page 1 of \_\_11\_\_

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626 USA | PHONE +1 360 577 7222 | FAX +1 360 636 1068 ALS Group USA, Corp. Part of the ALS Group An ALS Limited Company



#### **Acronyms**

ASTM American Society for Testing and Materials

A2LA American Association for Laboratory Accreditation

CARB California Air Resources Board

CAS Number Chemical Abstract Service registry Number

CFC Chlorofluorocarbon
CFU Colony-Forming Unit

DEC Department of Environmental Conservation

DEQ Department of Environmental Quality

DHS Department of Health Services

DOE Department of Ecology
DOH Department of Health

EPA U. S. Environmental Protection Agency

ELAP Environmental Laboratory Accreditation Program

GC Gas Chromatography

GC/MS Gas Chromatography/Mass Spectrometry

LOD Limit of Detection
LOQ Limit of Quantitation

LUFT Leaking Underground Fuel Tank

M Modified

MCL Maximum Contaminant Level is the highest permissible concentration of a substance

allowed in drinking water as established by the USEPA.

MDL Method Detection Limit
MPN Most Probable Number
MRL Method Reporting Limit

NA Not Applicable
NC Not Calculated

NCASI National Council of the Paper Industry for Air and Stream Improvement

ND Not Detected

NIOSH National Institute for Occupational Safety and Health

PQL Practical Quantitation Limit

RCRA Resource Conservation and Recovery Act

SIM Selected Ion Monitoring

TPH Total Petroleum Hydrocarbons

tr Trace level is the concentration of an analyte that is less than the PQL but greater

than or equal to the MDL.

#### **Inorganic Data Qualifiers**

- \* The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- E The result is an estimate amount because the value exceeded the instrument calibration range.
- J The result is an estimated value.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
  DOD-QSM 4.2 definition: Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.
- H The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

#### **Metals Data Qualifiers**

- # The control limit criteria is not applicable. See case narrative.
- J The result is an estimated value.
- E The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
- M The duplicate injection precision was not met.
- N The Matrix Spike sample recovery is not within control limits. See case narrative.
- S The reported value was determined by the Method of Standard Additions (MSA).
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. DOD-QSM 4.2 definition: Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- W The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
- i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- + The correlation coefficient for the MSA is less than 0.995.
- Q See case narrative. One or more quality control criteria was outside the limits.

#### **Organic Data Qualifiers**

- \* The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- A A tentatively identified compound, a suspected aldol-condensation product.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- C The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
- D The reported result is from a dilution.
- E The result is an estimated value.
- J The result is an estimated value.
- N The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
- P The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
  DOD-QSM 4.2 definition: Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- i The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.

#### **Additional Petroleum Hydrocarbon Specific Qualifiers**

- F The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
- L The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
- H The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
- O The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
- Y The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
- Z The chromatographic fingerprint does not resemble a petroleum product.

# ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEC UST	http://dec.alaska.gov/applications/eh/ehllabreports/USTLabs.aspx	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2286
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L12-28
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Georgia DNR	http://www.gaepd.org/Documents/techguide_pcb.html#cel	881
Hawaii DOH	Not available	-
Idaho DHW	http://www.healthandwelfare.idaho.gov/Health/Labs/CertificationDrinkingWaterLabs/tabid/1833/Default.aspx	-
Indiana DOH	http://www.in.gov/isdh/24859.htm	C-WA-01
ISO 17025	http://www.pjlabs.com/	L12-27
Louisiana DEQ	http://www.deq.louisiana.gov/portal/DIVISIONS/PublicParticipationandPermitSupport/LouisianaLaboratoryAccreditationProgram.aspx	3016
Maine DHS	Not available	WA0035
Michigan DEQ	http://www.michigan.gov/deq/0,1607,7-135-3307_4131_4156,00.html	9949
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-368
Montana DPHHS	http://www.dphhs.mt.gov/publichealth/	CERT0047
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA35
New Jersey DEP	http://www.nj.gov/dep/oqa/	WA005
North Carolina DWQ	http://www.dwqlab.org/	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA200001
South Carolina DHEC	http://www.scdhec.gov/environment/envserv/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	704427-08-TX
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C1203
Wisconsin DNR	http://dnr.wi.gov/	998386840
Wyoming (EPA Region 8)	http://www.epa.gov/region8/water/dwhome/wyomingdi.html	-
Kelso Laboratory Website	www.alsglobal.com_	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.caslab.com or at the accreditation bodies web site

Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

#### ALS ENVIRONMENTAL

Client:Apex Companies, LLCService Request No.:K1313872Project:SIUF OU2 Sieve Bench TestDate Received:11/25/13

Sample Matrix: Solid

#### **Case Narrative**

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples designated for Tier II data deliverables. When appropriate to the method, method blank results have been reported with each analytical test. Additional quality control analyses reported herein include: Laboratory/Duplicate Laboratory Control Sample (LCS/DLCS).

### Sample Receipt

Two solid samples were received for analysis at ALS Environmental on 11/25/13. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C/fro upon receipt at the laboratory.

#### **Total Metals**

The samples were ground prior to testing for total arsenic.

No anomalies associated with the analysis of these samples were observed.

Approved by Approved by

Analytical Results

Client: Apex Companies, LLC Service Request: K1313872

**Project:** SIUF OU2 Sieve Bench Test/1115-16

Sample Matrix: Soil

**Total Solids** 

Prep Method: NONE Units: PERCENT

Analysis Method: 160.3M Basis: Wet

**Test Notes:** 

Sample Name	Lab Code	Date Collected	Date Received	Date Analyzed	Result	Result Notes
Plus4CompSieveTest.0-6	K1313872-001	11/23/2013	11/25/2013	12/26/2013	97.3	
Plus4CompSieveTest.6-12	K1313872-002	11/23/2013	11/25/2013	12/26/2013	97.4	

u:\Stealth\Crystal.rpt\Solids.rpt 6 SuperSet Reference: W1314059

QA/QC Report

Client: Apex Companies, LLC

Project: SIUF OU2 Sieve Bench Test/1115-16

Sample Matrix: Soil Service Request: K1313872 Date Collected: 11/23/2013 **Date Received:** 11/25/2013 **Date Analyzed:** 12/26/2013

**Duplicate Sample Summary** 

**Total Solids** 

**Prep Method:** NONE **Analysis Method:** 

160.3M

Units: PERCENT

Basis: Wet

**Test Notes:** 

Sample Name	Lab Code	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Plus4CompSieveTest.0-6	K1313872-001	97.3	97.3	97.3	<1	

Printed: 12/31/2013 Page 1 of 10:50

 $u:\Stealth\Crystal.rpt\Solids.rpt$ SuperSet Reference: W1314059 7

### - Cover Page - INORGANIC ANALYSIS DATA PACKAGE

Client: Apex Companies, LLC Service Request: K1313872

**Project Name :** SIUF OU2 Sieve Bench Test

**Project No.:** 1115-16

Sample Name :	<b><u>Lab Code :</u></b>
Plus4CompSieveTest.0-6	K1313872-001
Plus4CompSieveTest.0-6	K1313872-001D
Plus4CompSieveTest.0-6	K1313872-001S
Plus4CompSieveTest.6-12	K1313872-002
Method Blank	K1313872-MB

Client: Apex Companies, LLC
Project Name: SIUF OU2 Sieve Bench Test

**Project No.:** 1115-16 **Matrix:** Soil

 Service Request :
 K1313872

 Date Collected :
 11/23/13

 Date Received :
 11/25/13

 Date Extracted :
 12/26/13

Total Metals Units: mg/Kg (ppm) Dry Weight Basis

Analyte: Arsenic
Analysis Method: 6010C
Method Reporting Limit: 4.1
Date Analyzed: 12/30/13

 Sample Name
 Lab Code

 Plus4CompSieveTest.0-6
 K1313872-001
 7.1

 Plus4CompSieveTest.6-12
 K1313872-002
 ND

 Method Blank
 K1313872-MB
 ND

### ALS Group USA, Corp. dba ALS Enviromental QA/QC Report

Client: Apex Companies, LLC **Project Name:** 

SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil

Service Request: K1313872 **Date Collected:** 11/23/13 **Date Received:** 11/25/13 **Date Extracted:** 12/26/13

**Date Analyzed:** 12/30/13

**Duplicate Summary Total Metals** 

Plus4CompSieveTest.0-6 Sample Name:

K1313872-001D Lab Code:

Units: mg/Kg (ppm)

Basis: Dry

				Duplicate		Relative	
Amalada	Analonia Madhad	MRL	Sample Result	Sample Result	Average	Percent Difference	Result Notes
Analyte	Analysis Method	WIKL	Result	Result	Average	Difference	11000
Arsenic	6010C	4.0	7.1	7.3	7.2	3	

### ALS Group USA, Corp. dba ALS Enviromental QA/QC Report

Client: Apex Companies, LLC

**Project Name :** SIUF OU2 Sieve Bench Test

Project No.: 1115-16 Matrix: Soil **Service Request:** K1313872 **Date Collected:** 11/23/13

Date Received: 11/25/13 Date Extracted: 12/26/13 Date Analyzed: 12/30/13

Matrix Spike Summary Total Metals

**Sample Name :** Plus4CompSieveTest.0-6

**Lab Code :** K1313872-001S

Units: mg/Kg (ppm)

Basis: Dry

			Spiked			CAS Percent Recovery	
Analyte	MRL	Spike Level	Sample Result	Sample Result	Percent Recovery	Acceptance Limits	Result Notes
Arsenic	4.1	102	7.1	104	95	75-125	